



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/674,939	09/29/2003	Bernard Tourancheau	SUN-P9247-SPL	5179
57960 7590 08/09/2007 SUN MICROSYSTEMS INC. C/O PARK, VAUGHAN & FLEMING LLP 2820 FIFTH STREET DAVIS, CA 95618-7759			EXAMINER LAZARO, DAVID R	
			ART UNIT 2155	PAPER NUMBER
			MAIL DATE 08/09/2007	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/674,939	Applicant(s) TOURANCHEAU, BERNARD	
	Examiner David Lazaro	Art Unit 2155	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 29 September 2003.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-21 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-21 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 08 January 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. Claims 1-21 are pending in this office action.

Drawings

2. The examiner accepts the drawings filed 01/08/04.

Claim Objections

3. Claims 1 and 8 are objected to because of the following informalities:
4. Both claims 1 and 8 state the limitation "a given network" (line 10) and "the given network" (line 12). For clarity and consistency, a "given network" should be referred to a "given communication network" (if this is the intended meaning).
5. Appropriate correction is required.

Claim Rejections - 35 USC § 102

6. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Art Unit: 2155

7. Claims 1-21 are rejected under 35 U.S.C. 102(e) as being anticipated by U.S. Patent 6,973,517 by Golden et al. (Golden).

8. With respect to claims 1 and 8, Golden teaches an apparatus (and corresponding method for a computer system) for routing data between integrated circuit devices, comprising:

an n-dimensional grid of integrated circuit devices (Col. 6 lines 43-58, Col. 7 lines 8-26, Col. 61-66: multiprocessor mesh configuration which include integrated circuit devices);

a plurality of communication networks coupling the n-dimensional grid of integrated circuit devices, wherein a communication network of the plurality of communication networks moves data in only orthogonal dimensions (Col. 6 lines 43-58 and Col. 10 line 56 - Col. 11 line 11: dimension order routing); and

a routing mechanism configured to route data across the plurality of communication networks as well as into, out of, and through a given integrated circuit within the n-dimensional grid of integrated circuits (Col. 6 lines 43-58 and Col. 10 line 56 - Col. 11 line 11);

whereby a process of routing signals across a given network is greatly simplified because it is not possible to create a cycle that causes a deadlock within the given network (Col. 10 line 56 - Col. 11 line 11: dimension order routing prevents deadlock); and

whereby the process of routing signals yields a shortest path between source and destination (Col. 10 line 56 - Col. 11 line 11: minimal adaptive routing yields shortest path).

9. With respect to claims 2 and 9, Golden teaches all the limitations of claims 1 and 8 respectively and further teaches wherein the n-dimensional grid of integrated circuit devices includes memory devices (Col. 7 lines 8-32).

10. With respect to claims 3 and 10, Golden teaches all the limitations of claims 1 and 8 respectively and further teaches wherein the n-dimensional grid of integrated circuit devices includes processor devices (Col. 6 lines 43-58), I/O devices (Col. 7 lines 8-26), digital signal processors (Col. 7 lines 8-26 and Col. 8 lines 43-66), field programmable gate arrays (Col. 7 lines 32-46), sensors (Col. 16 lines 15-32), and controllers (Col. 7 lines 8-32 and Col. 8 lines 59-66).

11. With respect to claims 4 and 11, Golden teaches all the limitations of claims 1 and 8 respectively and further teaches wherein the plurality of communication networks for a two-dimensional grid includes: a first communication network configured to move signals East and North; a second communication network configured to move signals North and West; a third communication network configured to move signals West and South; and a fourth communication network configured to move signals South and East (Col. 6 lines 43-58 and Col. 10 line 56 - Col. 11 line 11).

12. With respect to claims 5 and 12, Golden teaches all the limitations of claims 1 and 8 respectively and further teaches wherein the routing mechanism is configured to

Art Unit: 2155

statically route data items across the plurality of communication networks (Col. 11 lines 5-49: deadlock-free network).

13. With respect to claims 6 and 13, Golden teaches all the limitations of claims 1 and 8 respectively and further teaches wherein the routing mechanism is configured to dynamically route data items through network junctions within each integrated circuit (Col. 11 lines 5-49: adaptive routing).

14. With respect to claims 7 and 14, Golden teaches all the limitations of claims 1 and 8 respectively and further teaches wherein a header attached to each data item in a two-dimensional grid indicates a number of horizontal steps and a number of vertical steps required for the data item to reach its destination (Col. 11 lines 50-67); and wherein during a dynamic routing process, the routing mechanism removes a horizontal step or a vertical step from the header for the data item, depending upon which direction is dynamically selected (Col. 11 lines 50-67).

15. With respect to claim 15, Golden teaches a means for routing data between integrated circuit devices within an n-dimensional grid of integrated circuit devices, comprising:

a communication means comprising a plurality of communication networks coupling the n-dimensional grid of integrated circuit devices (Col. 6 lines 43-58, Col. 7 lines 8-26, Col. 61-66: multiprocessor mesh configuration which include integrated circuit devices), wherein a communication network of the plurality of communication networks moves data in only orthogonal dimensions (Col. 6 lines 43-58 and Col. 10 line 56 - Col. 11 line 11: dimension order routing); and

a routing means for routing data across the plurality of communication networks as well as into, out of, and through a given integrated circuit within the n-dimensional grid of integrated circuits (Col. 6 lines 43-58 and Col. 10 line 56 - Col. 11 line 11);

whereby the means of routing signals yields a shortest path between source and destination (Col. 10 line 56 - Col. 11 line 11: minimal adaptive routing yields shortest path).

16. With respect to claim 16, Golden teaches all the limitations of claim 15 and further teaches wherein the n-dimensional grid of integrated circuit devices includes memory devices (Col. 7 lines 8-32).

17. With respect to claim 17, Golden teaches all the limitations of claim 15 and further teaches wherein the n-dimensional grid of integrated circuit devices includes processor devices (Col. 6 lines 43-58), I/O devices (Col. 7 lines 8-26), digital signal processors (Col. 7 lines 8-26 and Col. 8 lines 43-66), field programmable gate arrays (Col. 7 lines 32-46), sensors (Col. 16 lines 15-32), and controllers (Col. 7 lines 8-32 and Col. 8 lines 59-66).

18. With respect to claim 18, Golden teaches all the limitations of claim 15 and further teaches wherein the plurality of communication networks for a two-dimensional grid includes: a first communication network configured to move signals East and North; a second communication network configured to move signals North and West; a third communication network configured to move signals West and South; and a fourth communication network configured to move signals South and East (Col. 6 lines 43-58 and Col. 10 line 56 - Col. 11 line 11).

19. With respect to claim 19, Golden teaches all the limitations of claim 15 and further teaches wherein data is configured to statically routed across the plurality of communication networks (Col. 11 lines 5-49: deadlock-free network).

20. With respect to claim 20, Golden teaches all the limitations of claim 15 and further teaches wherein data is dynamically routed through network junctions within each integrated circuit (Col. 11 lines 5-49: adaptive routing).

21. With respect to claim 21, Golden teaches all the limitations of claim 15 and further teaches wherein a header attached to each data item in a two-dimensional grid indicates a number of horizontal steps and a number of vertical steps required for the data item to reach its destination (Col. 11 lines 50-67); and wherein during a dynamic routing process, a horizontal step or a vertical step is removed from the header for the data item, depending upon which direction is dynamically selected (Col. 11 lines 50-67).

Conclusion

22. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

23. Wu, Jie. "A fault-tolerant adaptive and minimal routing scheme in n-D Meshes" The Computer Journal; 2002; 45, 3; pp. 349-363.

24. Wu, Jie "A deterministic fault-tolerant and deadlock-free routing protocol in 2-D meshes based on Odd-Even Turn Model" ACM; ICS'02; June 2002; pp. 67-76.

25. U.S. Patent 7,072,976 by Lee. Discloses scalable routing scheme for a multi-path interconnection fabric.

Art Unit: 2155


26. U.S. Patent 5,546,596 by Geist. Discloses a router for routing a message among nodes in a N dimensional network of processor nodes.

27. U.S. Patent 5,138,615 by Lamport et al. Discloses a mesh connected local area providing deadlock free routing.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to David Lazaro whose telephone number is 571-272-3986. The examiner can normally be reached on 8:30-5:00 M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Saleh Najjar can be reached on 571-272-4006. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.


David Lazaro
August 2, 2007